


# Absorptionsmålinger

## DAMPA® Climate Cloud



Frekvens Hz	Ækvivalent absorptionsareal Aeq*
200	0,82
250	1,18
315	1,45
400	1,73
500	2,46
630	3,25
800	3,41
1000	3,08
1250	3,53
1600	2,87
2000	2,98
2500	3,14
3150	3,03
4000	3,44
5000	3,22


### DAMPA® Climate Cloud

Perforation: AL-709



Størrelse: 1000 x 2000 x 50 mm

Åbent areal: 25,1%

Inlæg: 0,2 mm akustikfilt samt  
40 mm glasuld med alufolie på  
bagsiden, densitet 55 kg/m<sup>3</sup>



Perforation: AL-709



\*Der er foretaget egne målinger iht. ISO 354.